

64185

OSRAM ORIGINAL LINE | Halogen headlight lamps for motorcycles



Areas of application

- Headlight

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data

Electrical data


Power input	36.8 / 36.8 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	35/35 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Color temperature	2700 K
Luminous flux	820/520 lm

Dimensions & weight



Length	85.0 mm
Diameter	17.0 mm
Product weight	23.00 g

Lifespan

Lifespan B3	75 / 150 h ¹⁾
Lifespan Tc	150 / 300 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	PX43t
-----------------------------	-------

Certificates & standards

ECE category	HS1
--------------	-----

Product datasheet

Country specific categorizations

Order reference	64185 35/35W 12
-----------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300439969	OSRA64185	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300439969	64185	Folding carton box 1	70 mm x 47 mm x 47 mm	0.15 dm ³	31.00 g
4050300439976	64185	Bundle 10	91 mm x 70 mm x 200 mm	1.27 dm ³	262.00 g
4050300439983	64185	Shipping carton box 100	485 mm x 156 mm x 245 mm	18.54 dm ³	3570.00 g
4052899091900	64185	Unpacked 1	- x - x -		
4052899091917	64185	Shipping carton box 200	485 mm x 315 mm x 345 mm	52.71 dm ³	6042.00 g
4052899093652	64185	Unpacked 1	- x - x -		
4052899093669	64185	Shipping carton box 200	485 mm x 315 mm x 345 mm	52.71 dm ³	6042.00 g
4052899253575	64185	Unpacked 1	- x - x -		
4052899253582	64185	Shipping carton box 200	485 mm x 315 mm x 345 mm	52.71 dm ³	6096.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.