

---

## 64185NR5

NIGHT RACER 50 | Halogen headlight lamps for motorcycles



---

### Areas of application

- Motorcycle headlight

---

### Product benefits

- Up to 50 % more light (compared to standard halogen lamps)
- Up to 20 m longer beam (compared to standard halogen lamps)
- Dangers can be seen sooner
- More time to react
- Excellent price/performance ratio

---

### Product features

- Modern design with silver cap

# Product datasheet

## Technical data

### Electrical data



Power input	36.8 / 36.8 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	35/35 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Color temperature	3200 K
Luminous flux	820/520 lm

### Dimensions & weight



Length	82.0 mm
Diameter	17.0 mm
Product weight	26.00 g

### Lifespan

Lifespan B3	75 / 150 h <sup>1)</sup>
Lifespan Tc	150 / 300 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

### Additional product data

Base (standard designation)	PX43t
-----------------------------	-------

### Certificates & standards

ECE category	HS1
--------------	-----

# Product datasheet

## Country specific categorizations

---

Order reference	64185NR5 35/35W
-----------------	-----------------

---

## Product datasheet

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899929425	64185NR5	Blister 1	135 mm x 95 mm x 45 mm	0.58 dm <sup>3</sup>	35.00 g
4052899929432	64185NR5	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	445.00 g
4052899933002	64185NR5	Folding carton box 1	47 mm x 47 mm x 70 mm	0.15 dm <sup>3</sup>	34.00 g
4052899933019	64185NR5	Bundle 10	- x - x -		
4052899933026	64185NR5	Shipping carton box 100	485 mm x 245 mm x 156 mm	18.54 dm <sup>3</sup>	3870.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.